

R- 1650 B



- DO NOT USE ANY TYPE OF BLEACH OR STAIN REMOVING CHEMICALS
 DO NOT OVER EXPOSE DAMP PABRIC TO STRONG SUNLIGHT
 IRON AT MODERATE TEMPERATURE






R- 1650 A



- DO NOT USE ANY TYPE OF BLEACH OR STAIN REMOVING CHEMICALS
 DO NOT OVER EXPOSE DAMP PABRIC TO STRONG SUNLIGHT
 IRON AT MODERATE TEMPERATURE






R- 1650 B



- DO NOT USE ANY TYPE OF BLEACH OR STAIN REMOVING CHEMICALS
 DO NOT OVER EXPOSE DAMP PABRIC TO STRONG SUNLIGHT
 IRON AT MODERATE TEMPERATURE





R- 1650 C



- DO NOT USE ANY TYPE OF BLEACH OR STAIN REMOVING CHEMICALS
 DO NOT OVER EXPOSE DAMP PABRIC TO STRONG SUNLIGHT
 IRON AT MODERATE TEMPERATURE





R-1650 D



- DO NOT USE ANY TYPE OF BLEACH OR STAIN REMOVING CHEMICALS
 DO NOT OVER EXPOSE DAMP PABRIC TO STRONG SUNLIGHT
 IRON AT MODERATE TEMPERATURE



R-1650 C

R-1650 D

R-1650 A

R-1650 B

