





DO NOT USE TYPE OF BLEACH OR STAIN REMOVING CHEMICALS
BEFORE CUTTING / STITHING , FABRIC SHOULD BE SMOKED BE SOAKED IN WATER
(ALL COMPONENTS SEPARATELY) FOR 13 MINITES

DO BOT KEEP WET FABRIC IN TWISTED FROM IN ORDER TO AVOID COPY MARKS I
IRON CLOTHES AT MOCRATE TEMPERATURE I DO NOT DITY FABRIC IN DIRECT SURLIGHT
(EXTRA LACES, HANGINGS AND ACCESSORIES ARE NOT INDUDED)







FABRIC DETAILS







DO NOT USE TYPE OF BLEACH OR STAIN REMOVING CHEMICALS
BEFORE CUTTING / STITHING , FABRIC SHOULD BE SMOKED BE SOAKED IN WATER
(ALL COMPONENTS SEPARATELY I FOR 13 MINUTES


DO BOT KEEP WET FABRIC IN TWISTED FROM IN ORDER TO AVOID COPY MARKS I
IRON CLOTHES AT MODRATE TEMPERATURE I DO NOT DRY FABRIC IN DIRECT SURLIGHT
(EXTRA LACES, HANGINGS AND ACCESSORIES ARE NOT INDUDED)







FABRIC DETAILS









DO NOT USE TYPE OF BLEACH OR STAIN REMOVING CHEMICALS
BEFORE CUTTING / STITHING , FABRIC SHOULD BE SMOKED BE SOAKED IN WATER
(ALL COMPONENTS SEPARATELY) FOR 13 MINITES

DO BOT KEEP WET FABRIC IN TWISTED FROM IN ORDER TO AVOID COPY MARKS I
IRON CLOTHES AT MOCRATE TEMPERATURE I DO NOT DITY FABRIC IN DIRECT SURLIGHT
(EXTRA LACES, HANGINGS AND ACCESSORIES ARE NOT INDUDED)







FABRIC DETAILS










DO NOT USE TYPE OF BLEACH OR STAIN REMOVING CHEMICALS
BEFORE CUTTING / STITHING , FABRIC SHOULD BE SMOKED BE SOAKED IN WATER
(ALL COMPONENTS SEPARATELY) FOR 13 MINITES
DO BOT KEEP WET FABRIC IN TWISTED FROM IN ORDER TO AVOID COPY MARKS I
IRON CLOTHES AT MOCRATE TEMPERATURE I DO NOT DITY FABRIC IN DIRECT SUNLIGHT
(EXTRA LACES, HANGINGS AND ACCESSORIES ARE NOT INDUDED)







FABRIC DETAILS







TOP:- CAMBRIC COTTON DUP:- COSSMOS DIGITAL PRINT BOT:- CAMBRIC COTTON







5-222 A

5-222 B

5-222 C